


D-Neo Washbasin, furniture washbasin asymmetric
2370800000 / 2370800060


|< 800 mm >|














Washbasin, furniture washbasin asymmetric	Dimension	Weight	Order number
with overflow, with tap platform, underneath glazed, bowl on right side, 800 mm			
Colors			
00 White Alpin			
Variant			
●	800 x 480 mm	27.000 kilogram	2370800000
⊠	800 x 480 mm	27.000 kilogram	2370800060
Sanitary ceramics with the special WonderGliss surface finish will remain clean and attractive-looking for a long time to come. When ordering WonderGliss please add a "1" as eleventh digit to the model number.			
Push-open waste for washbasins with overflow		0.400 kilogram	005052
Design Siphon		1.500 kilogram	005036
Siphon for washbasin with outlet pipe 300 mm	32,75 mm	0.600 kilogram	005026
Suitable products			
Vanity unit wall-mounted 1 pull-out compartment, for D-Neo # 236780, 236980, 237080, 784 x 452 mm	784 x 452 mm		DE4255
Vanity unit wall-mounted 1 drawer, 1 pull-out compartment, upper drawer including cut-out for siphon and siphon cover, for D-Neo # 237080 bowl on right side, 784 x 452 mm	784 x 452 mm		DE4358

D-Neo Washbasin, furniture washbasin asymmetric # 2370800000 / 2370800060

|< 800 mm >|

Vanity unit wall-mounted 1 pull-out compartment, Shelf element laterally, for D-Neo # 237080 bowl on right side, 784 x 452 mm	784 x 452 mm	DE4257
Vanity unit wall-mounted 1 pull-out compartment, for D-Neo # 236780, 236980, 237080, 784 x 455 mm	784 x 455 mm	K25083
Vanity unit wall-mounted 2 drawers, upper drawer including cut-out for siphon and siphon cover, for D-Neo # 237080 bowl on right side, 784 x 455 mm	784 x 455 mm	K25286
Recommended faucets		
Single lever basin mixer M ceramic cartridge, Projection 113 mm, flexible connection hoses 9,53 mm (3/8"), aerator adjustable, normal spray, recommended operating pressure 1 - 5 bar, with pop-up waste set,		C11020001
Single lever basin mixer M ceramic cartridge, Projection 139 mm, flexible connection hoses 9,53 mm (3/8"), aerator adjustable, normal spray, chrome, maximum temperature can be adjusted on installation, recommended operating pressure 1 - 5 bar, with pop-up waste set,		B11020001
Single lever basin mixer M ceramic cartridge, Projection 139 mm, flexible connection hoses 9,53 mm (3/8"), aerator adjustable, normal spray, chrome, maximum temperature can be adjusted on installation, recommended operating pressure 1 - 5 bar, with pop-up waste set,		B21020001
Single lever basin mixer for concealed installation normal spray, ceramic cartridge, aerator adjustable, connection type: basic set for concealed installation, includes: visible parts, recommended operating pressure 1 - 5 bar, Projection 174 mm,		C11070003
Single lever basin mixer M ceramic cartridge, Projection 139 mm, flexible connection hoses 9,53 mm (3/8"), aerator adjustable, normal spray, chrome, maximum temperature can be adjusted on installation, recommended operating pressure 1 - 5 bar, without pop-up waste set,		B11020002
Single lever basin mixer for concealed installation normal spray, ceramic cartridge, aerator adjustable, connection type: basic set for concealed installation, includes: visible parts, recommended operating pressure 1 - 5 bar, Projection 225 mm,		C11070004
Single lever basin mixer M ceramic cartridge, Projection 139 mm, flexible connection hoses 9,53 mm (3/8"), aerator adjustable, normal spray, chrome, maximum temperature can be adjusted on installation, recommended operating pressure 1 - 5 bar, without pop-up waste set,		B21020002
Single lever basin mixer M ceramic cartridge, projection 107 mm, flexible connection hoses 9,53 mm (3/8"), normal spray, chrome, maximum temperature can be adjusted on installation, recommended operating pressure 1 - 5 bar, with pop-up waste set,		A11020001
Single lever basin mixer M ceramic cartridge, projection 107 mm, flexible connection hoses 9,53 mm (3/8"), normal spray, chrome, maximum temperature can be adjusted on installation, recommended operating pressure 1 - 5 bar, without pop-up waste set,		A11020002

D-Neo Washbasin, furniture washbasin asymmetric
2370800000 / 2370800060

|< 800 mm >|

Single lever basin mixer M ceramic cartridge, Projection 109 mm, flexible connection hoses 9,53 mm (3/8"), aerator adjustable, normal spray, chrome, maximum temperature can be adjusted on installation, recommended operating pressure 1 - 5 bar, with pop-up waste set,	DE1020001
Single lever basin mixer M ceramic cartridge, Projection 109 mm, flexible connection hoses 9,53 mm (3/8"), aerator adjustable, normal spray, chrome, maximum temperature can be adjusted on installation, recommended operating pressure 1 - 5 bar, without pop-up waste set,	DE1020002
Single lever basin mixer M FreshStart ceramic cartridge, in centre position cold water, Projection 109 mm, flexible connection hoses 9,53 mm (3/8"), aerator adjustable, normal spray, chrome, maximum temperature can be adjusted on installation, recommended operating pressure 1 - 5 bar, with pop-up waste set,	DE1021001
Single lever basin mixer M FreshStart ceramic cartridge, in centre position cold water, Projection 109 mm, flexible connection hoses 9,53 mm (3/8"), aerator adjustable, normal spray, chrome, maximum temperature can be adjusted on installation, recommended operating pressure 1 - 5 bar, without pop-up waste set,	DE1021002

All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in mm and are non-binding. Exact measurements, in particular for customised installation scenarios, can only be taken from the finished ceramic piece.